

CHECK_MK

CONFERENCE #3




CHECK_MK
CONFERENCE #3

Agent Bakery

Andreas Umbreit & Konstantin Büttner



Werks




New Feature-Werks

#8358

#8504

#8348 #8349 #8323 #8589 #8503
#8328 #8509 #8646 #8502





Werk #8509

Disabled sections

(Windows agent)



Situation before

- `check_mk.ini` section defining enabled section (cf. `example.ini`)
 - Corresponding bakery rule
 - Default: All enabled
- ⇒ Disabling a section only possible by explicitly enabling all other sections




Improvement: Rule „Disabled sections“

- ...it disables sections
- Overrides Rule „Enabled sections“



Werk #8504

Custom file deployment



Why?

- Local checks
- Nagios plugins for use with MRPE
- Custom agent plugins
- ...use your imagination (responsibly)



How does it work?

- Custom files stored in site under `local/share/check_mk/agents/custom`
- Create a folder for each package of custom files you want to use
- Packageable as `.mkp`



Locations


- Control target location using subfolders
- Linux:
 - /bin → /usr/bin
 - /config → /etc/check_mk
 - /lib → /usr/lib/check_mk_agent
 - /var → /var/lib/check_mk_agent



Locations

- Windows:
 - Everything points to the agent's installation directory 😞





Further Werks (1)

- #8348** Changes in custom files are now detected and tell the user to rebake the agents
- #8349** MRPE checks can now be configured via agent bakery
- #8323** Optional OpenHardwareMonitor package is now bakeable
- #8589** Automatically create `/var/lib/check_mk_agent/spool` in baked agents
- #4132** `mk_inotify`: added bakery files



Further Werks (2)

#8502 rds_licenses: Remote desktop licenses plugin is now bakeable

#8328 Windows textfiles can now be configured with tags

#8646 cmk-update-agent: Added -V / --version to output the version of the plugin

